





## FE2100TN S/S Two Door Bench Fridge 260L

## **Quick Overview**

- One Level of Shelving Plus Floor
- Elitec Digital Temp. Control & Read-Out
- 304 Stainless Steel Interior & Exterior
- · Fan-Forced Evaporator Cooling
- CFC Free Refrigerant and Foam
- AISI 304 Stainless Steel Framework Construction
- Electronic Thermostat and Digital LED Temperature Display for Accurate Control and Easy Reading
- Auto Defrosting and Auto Evaporation of Condensation Water
- Magnetic Gaskets Can Be Replaced without Any Tools
- Bottom with Round Edges for Easy Cleaning
- · Capacity 260 Itr

## Description

S/S Two Door Bench Fridge 260L - FE2100TN

This unit is a smaller two door commercial workbench fridge packing several features, with a capacity of 260 litres and dimensions set at 1360x600x860mm.

This refrigeration workbench is a classic choice for any kitchen of any restaurant or café seeking a piece that contains ample storage space and a sturdy bench for kitchen work.

The interior is chilled, meaning you can store stock and ingredients for later use. You can also store kitchen tools inside as well.

Pick up one of FED 's most reliable workbench fridges today!

Refrigerated: -2 to 8 ° C

Capacity: 260 Litres

Commercial Bench Fridge

1

- One Level of Shelving Plus Floor
- Elitec Digital Temp. Control & Read-Out
- 304 Stainless Steel Interior & Exterior
- Fan-Forced Evaporator Cooling
- CFC Free Refrigerant and Foam
- AISI 304 Stainless Steel Framework Construction
- Electronic Thermostat and Digital LED Temperature Display for Accurate Control and Easy Reading
- Auto Defrosting and Auto Evaporation of Condensation Water
- Magnetic Gaskets Can Be Replaced without Any Tools
- Bottom with Round Edges for Easy Cleaning
- Capacity 260 Itr

\* Interior: 795x480x560mm

\* Exterior: 1360x600x860mm

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

## Your Shipping Specifications

Net Weight (Kg)	0
Width (mm)	1360
Depth (mm)	600
Height (mm)	860
Packing Width (mm)	640
Packing Depth (mm)	1380
Packing Height (mm)	920
Power	230V
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice