



Gasmax QR-SEN Stands with Solid Undershelf

Quick Overview

- Practical choice. Here are sturdy and reliable QR-SEN Stands with Solid Undershelf for your taking.
- Reliable and efficient. These units suit GasMax Range QR Char Grills and RGT Griddle Tops perfectly!
- Great value for money. Get the longevity you need for the price you want with these stands's solid undershelf feature.
- Hygienic & easy to clean. Our products meet the appropriate Health Department requirements, and are easy to clean, with simple assembly and remarkable service.

Product Name

QR-14-SEN Gasmax Stand Suits QR-14E / ELPG

RGT-16-SEN Gasmax Stand Suits RGT-16E / ELPG

QR-24-SEN Gasmax Stand Suits QR-24E / ELPG & RGT-24E / ELPG

QR-36-SEN Gasmax Stand Suits QR-36E / ELPG & RGT-36E / ELPG

QR-48-SEN Gasmax Stand Suits QR-48E / ELPG & RGT-48E / ELPG

Description

Gasmax QR-SEN Stands with Solid Undershelf

Robust, reliable and of great value, our multipurpose kitchen equipment provides a superior solution for every need and space! Match your GasMax Range QR Char Grills and RGT Griddle Tops with these QR-SEN Stands perfectly, and work on your kitchen with ease and comfort. These come with a solid undershelf for an additional storage and support.

This is a fast selling purchase for any prospective restaurant or café owner who operates a medium to large establishment.

Key Features:

- Suits GasMax Range QR Char Grills and RGT Griddle Tops
- Comes with Solid Undershef

| Stands | Suits Model | Net Weight (kg) | Dimensions (mm) |
|------------|-----------------------------------|-----------------|------------------|
| QR-14-SEN | QR-14E / ELPG | 2.5 | 352 x 600 x 659 |
| RGT-16-SEN | RGT-16E / ELPG | 2.5 | 401 x 600 x 659 |
| QR-24-SEN | QR-24E / ELPG & RGT-24E / ELPG | 4 | 607 x 600 x 659 |
| QR-36-SEN | QR-36E / ELPG & RGT-36E / ELPG | 5 | 912 x 600 x 659 |
| QR-48-SEN | QR-48E / ELPG & RGT-48E / ELPG | 7 | 1217 x 600 x 659 |

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration within 14 Days of Invoice

Your Shipping Specifications

| | |
|-----------------|----------|
| Net Weight (Kg) | 2.5-7 |
| Width (mm) | 352-1217 |
| Depth (mm) | 600 |
| Height (mm) | 659 |