





## Glass Door Workbench Fridge -TL1500TNG

## Quick Overview

- Fridge -2 to 8°C
- Glass Door fridge Ambient 35°C
- Fan-forced evaporator cooling
- Auto defrost
- Self-evaporating drainage
- Insulation is CFC & HCFC free
- Internal corners constructed for easy cleaning
- 100mm wall clearance required for ventilation
- Castors
- LED Lighting Inside

Description

700 Series

Stainless Steel double glass door fridge Refrigerated • -2 to +8 ° C

Double Glass Door - 345 Litre

Features:

- Fridge -2 to 8°C
- Glass Door fridge Ambient 35°C
- Fan-forced evaporator cooling
- Auto defrost
- Self-evaporating drainage
- Insulation is CFC & HCFC free
- Internal corners constructed for easy cleaning
- 100mm wall clearance required for ventilation
- Castors
- LED Lighting Inside

Dimension: 1500mmW × 700D × 850H;

Ambient / RH%: 35/60

Power: 240V; 280W; 10A outlet required

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

## Your Shipping Specifications

Net Weight (Kg)	345
Width (mm)	1500
Depth (mm)	700
Height (mm)	850
Packing Width (mm)	730
Packing Depth (mm)	1540
Packing Height (mm)	900
Power	240V; 280W; 10A Outlet Required
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice