



HX-1/3NE Pizza Conveyor Oven with 3 phase power

Quick Overview

HX-1/3NE Pizza Conveyor Oven with 3 phase power

Mechanical knob

- Variable speed
- 'Safe to touch' fan-cooled exterior
- Economical to run
- Suit small or large volume
- Sit on bench or sit on a stand (optional)

SIMPLE ONE SWITCH OPERATION TO CHANGE DIRECTION

Conveyor belt 1080 mm overall x 358 mm deep - 60 mm tunnel clearance

Overall width: 1380 mm; chamber body (exterior): 560W x 555D x 420H (includes 100 mm feet)

Description

HX-1/3NE Pizza Conveyor Oven with 3 phase power

415V;3-N; 6.7kW; 8A

Mechanical knob

- Variable speed
- 'Safe to touch' fan-cooled exterior
- Economical to run
- Suit small or large volume
- Sit on bench or sit on a stand (optional)

SIMPLE ONE SWITCH OPERATION TO CHANGE DIRECTION

Conveyor belt 1080 mm overall x 358 mm deep - 60 mm tunnel clearance

Overall width: 1380 mm; chamber body (exterior): 560W x 555D x 420H (includes 100 mm feet)

2 Years Parts and Labour Warranty

Your Shipping Specifications

Net Weight (Kg)	50
Width (mm)	1500
Depth (mm)	580
Height (mm)	430
Packing Width (mm)	1230
Packing Depth (mm)	710
Packing Height (mm)	500
Power	415V;3-N; 6.7kW; 8A
Warranty	2 Years Parts and Labour