



## SCB/18 two large door DELUXE Sandwich Bar

### Quick Overview

Two Large Door  
9 × 1/3 pans\*\*  
Stainless Steel interior & exterior

- "Blown well"
- Cross-flow pan cooling
- New modern style square S/S front
- The fridge has one level of shelving plus floor
- Enclosed pan area with easy-slide covers\*\*
- Secop compressors
- German Æ&#x8B;BM-Pabst fans
- Digital temp. control & read-out
- Ambient 33Æ°C & 75% RH
- Rounded internal corners for hygiene & easy cleaning
- Working area 230 mm deep
- PE cutting board included
- Bench height 855 mm
- R134a gas SCB/15; R404a SCB/18 & /21
- Fan-forced evaporator cooling
- Auto defrost
- Self-evaporating drainage
- Castors
- Net Capacity: 870L

A completely removable refrigeration unit

Æ \*\* pans not included

Æ \*\*\* sliding pan covers must be used to ensure correct operating temperature

Tops are holding units & product needs to be pre-chilled to less than 5Æ°C before filling

### Description

Two Large Door  
9 × 1/3 pans\*\*  
Stainless Steel interior & exterior

- "Blown well"

- Cross-flow pan cooling
- New modern style square S/S front
- The fridge has one level of shelving plus floor
- Enclosed pan area with easy-slide covers\*\*
- Secop compressors
- German ËBM-Pabst fans
- Digital temp. control & read-out
- Ambient 33°C & 75% RH
- Rounded internal corners for hygiene & easy cleaning
- Working area 230 mm deep
- PE cutting board included
- Bench height 855 mm
- R134a gas SCB/15; R404a SCB/18 & /21
- Fan-forced evaporator cooling
- Auto defrost
- Self-evaporating drainage
- Castors
- Net Capacity: 870L

A Completely removable refrigeration unit

\*\* pans not included

\*\*\* sliding pan covers must be used to ensure correct operating temperature

Tops are holding units & product needs to be pre-chilled to less than 5°C before filling

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

## Your Shipping Specifications

---

Net Weight (Kg)	158
Width (mm)	1820
Depth (mm)	700
Height (mm)	1255
Packing Width (mm)	770
Packing Depth (mm)	1870
Packing Height (mm)	1420
Power	240V; 550W
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice