





## Tecnodom Blast Chiller & Shock Freezer DO10

## **Quick Overview**

- Made in Italy
- Built to HACCP specification
- · Digital controller with probe and temperature display
- · Time evaporator defrosting
- Ambient operating temp. 43°c
- Tropicalized
- · Ventilated cooling
- Auto defrost
- Suitable for GN 1/1
- · Self evaporating drainage
- Internal constructed for easy cleaning
- · Self closing doors
- · Opening back side and extractable unit for cleaning
- · Can be connected to a remote unit

## Description

Tecnodom Blast Chiller & Shock Freezer DO10

Blast chilling and shock freezing are the best natural systems to extend the shelf life of food. Blast Chillers make it possible to lower the temperature at the core of foods that have just been cooked, down to +3 °C in less than 90 min. Reducing bacterial proliferation and dehydration of the food. The final result is the preservation of the quality, colour and fragrance of the food, extending its shelf life. All this enables the chef to work with a better organization and more calmly, leaving more time or creativity. They are ideal for commercial business that has a focus on quality, consistency and time management.

1

- Made in Italy
- Built to HACCP specification
- Digital controller with probe and temperature display
- Time evaporator defrosting
- Ambient operating temp. 43°c
- Tropicalized
- Ventilated cooling
- Auto defrost
- Self evaporating drainage
- · Internal constructed for easy cleaning
- Self closing doors
- · Opening back side and extractable unit for cleaning
- Can be connected to a remote unit
- Stainless steel interior and exterior, with the exception of the external base in galvanised steel
- · Rounded internal corners
- Insulation thickness: 40 mm
- Self-closing door with hinges on the left and magnetic gasket
- Chamber probe.
- Core probe.
- Universal stainless steel pan grids
- Space between grids 70mm
- Internal volume: 190L

Exterior:  $750 \text{mmW} \times 740 \text{D} \times 1260/1290 \text{H}$ ; 150 kg Interior:  $610 \text{mmW} \times 410 \text{D} \times 760 \text{H}$  240 V; 1490 W; 10 A outlet required • Chill 25 kg from  $+70 ^{\circ}\text{C}$  to  $+3 ^{\circ}\text{C}$  • Deep Freeze 25 kg from  $+70 ^{\circ}\text{C}$  to  $-18 ^{\circ}\text{C}$  •  $10 \times 1/1 \text{ GN}$  or  $600 \times 400 \text{ EN}$  pans (40 mm deep)

2 Years Parts and Labour Warranty

## Your Shipping Specifications

Net Weight (Kg)	150
Width (mm)	750
Depth (mm)	740
Height (mm)	1260/1290
Packing Width (mm)	770
Packing Depth (mm)	780
Packing Height (mm)	1390
Power	240V;1490W; 10A outlet required
Warranty	2 Years Parts and Labour