





Thermaster Supermarket Combined Freezer ZCDTD210

Quick Overview

- R290 natural refrigerant
- Reduce floor footprint
- Easy to operate
- · Electronic digital temperature control / display
- · Quick and easy installation
- Boost product display advertising
- Streamlined operation
- LED lighting
- Auto-Defrost
- This unit comes in two separate packages
- Installation and Assembly are not covered

Description

Thermaster Supermarket Combined Freezer ZCDTD210

Generate more sales with an aesthetic and beautiful display! Catch every customer's eye with your fresh-kept products showcased in a sleek and modern supermarket combined freezer brought to us from the catering giant, Thermaster.

This masterpiece comes with a quick and easy installation, and is very easy to operate. It is designed to reduce floor footprints and is a big space saver for your store! It comes with Led lighting and auto-defrost function, as well as an electronic digital temperature control/display

Key Features:

- R290 natural refrigerant
- Reduce floor footprint
- Easy to operate
- Electronic digital temperature control / display
- Quick and easy installation

- Boost product display advertising
- Streamlined operation
- LED lighting
- Auto-Defrost
- This unit comes in two separate packages
- Installation and Assembly are not covered

Top Freezer:

- Stainless steel inner bottom
- Easy to maintain
- Illuminated top canopy for advertising
- Triple glazed self-closing glass door with heat film
- Hinged self closing doors
- Fan cooling

Bottom Freezer:

- Low-E, tempered glass
- Sliding doors
- Equipped with storage mesh or full baskets
- Adjustable feet
- Static cooling system with auto defrost
- Optional manual defrosting models available on request. Ideal for ice cream storage

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration within 14 Days of Invoice

Your Shipping Specifications

Net Weight (Kg)	346
Width (mm)	2104
Depth (mm)	850
Height (mm)	2110
Packing Width (mm)	660
Packing Depth (mm)	2190
Packing Height (mm)	1155
Power	1641 / One 10A plug and One 15A plug
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice